









Note: Dimension tolerance ± 10 mm, angle variation $\pm 1^\circ$

	Date	Changes	 SCAN-PLAST STRENGTH - FLEXIBILITY - DURABILITY	Scale		Date	Sign.
A				1 / 29	Draw.	2/18/2026	eg
B					Check		
C					Appr.		
D			Product: SP Toiletbuilding Type 3 Facade	Replace:			
E				Nr. W038-01-001		Page: 1/3	
F				Offer:			
G							



Note: Dimension tolerance $\pm 10\text{ mm}$, angle variation $\pm 1^\circ$

	Date	Changes	SCAN-PLAST STRENGTH - FLEXIBILITY - DURABILITY	Scale		Date	Sign.
A				1 / 20	Draw.	2/18/2026	eg
B					Check		
C					Appr.		
D			Product: SP Toiletbuilding Type 3 3D view	Replace:			
E				Nr. W038-01-002		Page: 2/3	
F				Offer:			
G							



HANDICAPED AND UNISEX TOILET

- 1 Toilet with water flush, stainless steel
- 2 Wall-mounted washbasin, stainless steel
- 3 Soap dispenser, stainless steel
- 4 Toilet paper holder, stainless steel
- 5 Mirror 500x400
- 6 Waste container, stainless steel
- 7 Clothes hanger, stainless steel
- 8 Paper towel holder, stainless steel
- 9 Electric panel 18 places
- 10 Electric radiator (heat distribution), 1 kW

BUILDING

- 60 Motion sensor
- 61 Lamp. GTV Italia
- 62 Electric inlet
- 63 SP Standard door w/frame 960x 2050, handicap-friendly, GAP cladding, interior color squirrel gray RAL7000/ exterior color black RAL9005.
- 64 Door pump TS 93G EN 2-5
- 65 Wather inlet 1/2" EN1.4301
- 66 Ventilation fan with grates, timer and regulator
- 80 Pictogram signage on doors, color white RAL9010.
- 81 Floor covering, FRP, color squirrel gray RAL7000 w/ shells (white/black).
- 82 Wall covering (interior), FRP, color gray-white RAL9002.
- 83 Ceiling covering, FRP, color gray-white RAL9002.
- 84 External plinth, FRP, color black RAL 9005.
- 85 Flat roof with 5% slope, FRP, color black RAL9005.
- 86 Fascia and soffit, FRP, color black RAL9005.
- 87 External wall covering " Klink ", FRP, color black RAL9005. Stern and corners, FRP, color black RAL9005.

Note: Dimension tolerance ± 10 mm, angle variation $\pm 1^\circ$

	Date	Changes	 SCAN-PLAST STRENGTH - FLEXIBILITY - DURABILITY	Scale		Date	Sign.
A				1 / 20	Draw.	2/18/2026	eg
B					Check		
C					Appr.		
D			Product: SP Toiletbuilding Type 3 Plan	Replace:			
E				Nr. W038-01-003		Page: 3/3	
F				Offer:			
G							